

Introduction to Perinatal Mood and Anxiety Disorders



If you have CME/CEU questions, please email Edu-Services@ttuhsc.edu for assistance.

Overview

Maternal and child mental health are closely linked, especially during the perinatal period. One in five new Texas mothers may experience mental health conditions such as depression, and mental health challenges are one of the leading causes of preventable maternal mortality within the first year of giving birth. The state-funded <u>Perinatal Psychiatry</u> <u>Access Network (PeriPAN)</u> offers free perinatal psychiatry consultation and education to health clinicians who interact with new mothers and mothers to be.

Join us during our free virtual Grand Rounds series on Perinatal Mental Health. Participants can expect engaging discussions on evidence-based practice and care. Texas Tech University Health Sciences Center and the PeriPAN program are pleased to provide free CME credits for participants.

Learning Objectives

- Discuss the clinical diagnosis of perinatal mood and anxiety disorders (PMADs)
- Identify risk factors of developing PMADs
- Approach to assessment and treatment of perinatal mood and anxiety disorders



tcmhcc

exas Child Mental Health Care Consortium





Screening and Diagnosis of Bipolar and Schizophrenia Spectrum in the Pregnancy and Postpartum Period



If you have questions, please email Edu-Services@ttuhsc.edu for assistance.

Overview

Maternal and child mental health are closely linked, especially during the perinatal period. One in five new Texas mothers may experience mental health conditions such as depression, and mental health challenges are one of the leading causes of preventable maternal mortality within the first year of giving birth. The state-funded Perinatal Psychiatry Access Network (PeriPAN) offers free perinatal psychiatry consultation and education to health clinicians who interact with new mothers and mothers to be.

Join us during our free virtual Grand Rounds series on Perinatal Mental Health. Participants can expect engaging discussions on evidence-based practice and care. Texas Tech University Health Sciences Center and the PeriPAN program are pleased to provide free CME credits for participants.

Learning Objectives

- Describe the prevalence of bipolar disorder and schizophrenia during the peripartum period
- Identify risk factors contributing to relapse during pregnancy and postpartum
- Differentiate the differential diagnoses for these disorders and commonly missed Initial symptoms









Screening and Diagnosis of Anxiety and Depression in Pregnancy and the Postpartum Period



If you have questions, please email Edu-Services@ttuhsc.edu for assistance.

Overview

Maternal and child mental health are closely linked, especially during the perinatal period. One in five new Texas mothers may experience mental health conditions such as depression, and mental health challenges are one of the leading causes of preventable maternal mortality within the first year of giving birth. The state-funded Perinatal Psychiatry Access Network (PeriPAN) offers free perinatal psychiatry consultation and education to health clinicians who interact with new mothers and mothers to be.

Join us during our free virtual Grand Rounds series on Perinatal Mental Health. Participants can expect engaging discussions on evidence-based practice and care. Texas Tech University Health Sciences Center and the PeriPAN program are pleased to provide free CME credits for participants.

Learning Objectives

- · Understand the diagnostic considerations for anxiety and depression
- Describe the various screening tools used to diagnose perinatal anxiety and depression
- Conceptualize what populations and how often to screen perinatal persons for depression and anxiety









Suicide Risk and Safety Assessment in Perinatal Mental Health



If you have questions, please email Edu-Services@ttuhsc.edu for assistance.

Overview

Maternal and child mental health are closely linked, especially during the perinatal period. One in five new Texas mothers may experience mental health conditions such as depression, and mental health challenges are one of the leading causes of preventable maternal mortality within the first year of giving birth. The state-funded Perinatal Psychiatry Access Network (PeriPAN) offers free perinatal psychiatry consultation and education to health clinicians who interact with new mothers and mothers to be.

Join us during our free virtual Grand Rounds series on Perinatal Mental Health. Participants can expect engaging discussions on evidence-based practice and care. Texas Tech University Health Sciences Center and the PeriPAN program are pleased to provide free CME credits for participants.

Learning Objectives

- Identify risk factors for suicide
- Apply Screening questionnaires for suicide in clinical visits
- Develop a safety plan for patient's at risk for suicide
- Implement resources for suicide prevention and mental health support in clinical practice









GRAND ROUNDS Psychotropic Medication in Breastfeeding and Pregnancy



If you have questions, please email Edu-Services@ttuhsc.edu for assistance.

Overview

Maternal and child mental health are closely linked, especially during the perinatal period. One in five new Texas mothers may experience mental health conditions such as depression, and mental health challenges are one of the leading causes of preventable maternal mortality within the first year of giving birth. The state-funded <u>Perinatal Psychiatry</u> <u>Access Network (PeriPAN)</u> offers free perinatal psychiatry consultation and education to health clinicians who interact with new mothers and mothers to be.

Join us during our free virtual Grand Rounds series on Perinatal Mental Health. Participants can expect engaging discussions on evidence-based practice and care. Texas Tech University Health Sciences Center and the PeriPAN program are pleased to provide free CME credits for participants.

Learning Objectives

- Appreciate the concept of "The Exposure Model" when considering the risks and benefits of psychotropic medication In breastfeeding and pregnancy
- Understand the risks of untreated psychiatric Illness during the perinatal period
- Critically examine the literature regarding the risk of antidepressant, anxiolytics, antipsychotics, and mood stabilizers use during each stage of the perinatal period
- Select first line treatment for perinatal psychiatric disorders
- Develop a working model of counseling patients on the risks of Illness exposure versus risk of treatment with consideration of appropriate documentation



tcmhcc

exas Child Mental Jealth Care Consortium





Psychopharmacology and Perinatal Mood and Anxiety Disorders



If you have questions, please email Edu-Services@ttuhsc.edu for assistance.

Overview

Maternal and child mental health are closely linked, especially during the perinatal period. One in five new Texas mothers may experience mental health conditions such as depression, and mental health challenges are one of the leading causes of preventable maternal mortality within the first year of giving birth. The state-funded Perinatal Psychiatry Access Network (PeriPAN) offers free perinatal psychiatry consultation and education to health clinicians who interact with new mothers and mothers to be.

Join us during our free virtual Grand Rounds series on Perinatal Mental Health. Participants can expect engaging discussions on evidence-based practice and care. Texas Tech University Health Sciences Center and the PeriPAN program are pleased to provide free CME credits for participants.

Learning Objectives

- Increase understanding of mental health disorders In the perinatal period
- Increase knowledge of risks versus benefits of pharmacological treatment during pregnancy and In the postpartum period
- Confidently discuss treatment plans with patients









Substance Use in the Perinatal and Postpartum Periods



If you have questions, please email Edu-Services@ttuhsc.edu for assistance.

Overview

Maternal and child mental health are closely linked, especially during the perinatal period. One in five new Texas mothers may experience mental health conditions such as depression, and mental health challenges are one of the leading causes of preventable maternal mortality within the first year of giving birth. The state-funded <u>Perinatal Psychiatry</u> <u>Access Network (PeriPAN)</u> offers free perinatal psychiatry consultation and education to health clinicians who interact with new mothers and mothers to be.

Join us during our free virtual Grand Rounds series on Perinatal Mental Health. Participants can expect engaging discussions on evidence-based practice and care. Texas Tech University Health Sciences Center and the PeriPAN program are pleased to provide free CME credits for participants.

Learning Objectives

- Recognize the challenges with data collection for perinatal SUDs
- Develop an understanding of the stigma that patients with SUDs face
- Recognize how that stigma Is compounded for perinatal patients
- Identify gender differences In substance use disorders
- Describe the diagnostic criteria for a substance use disorder









Eating Disorders and Perinatal Mental Health



If you have questions, please email Edu-Services@ttuhsc.edu for assistance.

Overview

Maternal and child mental health are closely linked, especially during the perinatal period. One in five new Texas mothers may experience mental health conditions such as depression, and mental health challenges are one of the leading causes of preventable maternal mortality within the first year of giving birth. The state-funded Perinatal Psychiatry Access Network (PeriPAN) offers free perinatal psychiatry consultation and education to health clinicians who interact with new mothers and mothers to be.

Join us during our free virtual Grand Rounds series on Perinatal Mental Health. Participants can expect engaging discussions on evidence-based practice and care. Texas Tech University Health Sciences Center and the PeriPAN program are pleased to provide free CME credits for participants.

Learning Objectives

- Outline the classification and epidemiology of eating disorders
- Examine the course of different eating disorders during the peripartum
- Identify options for screening and treatment of pregnant and postpartum patients suspected of having an eating disorder









Perinatal and Postpartum Psychosis



If you have questions, please email Edu-Services@ttuhsc.edu for assistance.

Overview

Maternal and child mental health are closely linked, especially during the perinatal period. One in five new Texas mothers may experience mental health conditions such as depression, and mental health challenges are one of the leading causes of preventable maternal mortality within the first year of giving birth. The state-funded Perinatal Psychiatry Access Network (PeriPAN) offers free perinatal psychiatry consultation and education to health clinicians who interact with new mothers and mothers to be.

Join us during our free virtual Grand Rounds series on Perinatal Mental Health. Participants can expect engaging discussions on evidence-based practice and care. Texas Tech University Health Sciences Center and the PeriPAN program are pleased to provide free CME credits for participants.

Learning Objectives

- Illustrate typical and atypical clinical presentations of psychosis In the postpartum period and discuss limitations of current diagnostic terminology
- Differentiate between when Intrusive thoughts of harm to Infact do or do not Incur risk of harm
- Develop a comprehensive treatment plan for a patient suffering from postpartum psychosis









Paternal Mental Health and the PerinatalPostpartum Periods



If you have questions, please email Edu-Services@ttuhsc.edu for assistance.

Overview

Maternal and child mental health are closely linked, especially during the perinatal period. One in five new Texas mothers may experience mental health conditions such as depression, and mental health challenges are one of the leading causes of preventable maternal mortality within the first year of giving birth. The state-funded Perinatal Psychiatry Access Network (PeriPAN) offers free perinatal psychiatry consultation and education to health clinicians who interact with new mothers and mothers to be.

Join us during our free virtual Grand Rounds series on Perinatal Mental Health. Participants can expect engaging discussions on evidence-based practice and care. Texas Tech University Health Sciences Center and the PeriPAN program are pleased to provide free CME credits for participants.

Learning Objectives

- Identify and describe the factors that may Influence the emotional experience of fathers In the perinatal and postpartum periods
- Describe the prevalence of paternal mental disorders In the perinatal and postpartum periods
- Identify and describe presentation of paternal mental health disorders in the perinatal period
- Describe screening, Intervention and support of fathers In the perinatal period and postpartum periods









NICU Parent Supports and Considerations



If you have questions, please email Edu-Services@ttuhsc.edu for assistance.

Overview

Maternal and child mental health are closely linked, especially during the perinatal period. One in five new Texas mothers may experience mental health conditions such as depression, and mental health challenges are one of the leading causes of preventable maternal mortality within the first year of giving birth. The state-funded Perinatal Psychiatry Access Network (PeriPAN) offers free perinatal psychiatry consultation and education to health clinicians who interact with new mothers and mothers to be.

Join us during our free virtual Grand Rounds series on Perinatal Mental Health. Participants can expect engaging discussions on evidence-based practice and care. Texas Tech University Health Sciences Center and the PeriPAN program are pleased to provide free CME credits for participants.

Learning Objectives

- Identify and describe the emotional experience of a NICU hospitalization on parents during hospitalization and discharge
- Identify and describe mental health disorders most prevalent among NICU parents. risk factors and Implications
- Identify and describe how mental health providers can provide trauma Informed care, help parents cope, and support the parent-infant dyad
- Describe supportive resources to support NICU families



tcmhcc



